


Hydraulic Crawler Crane

SL6000S


Max. Lifting Capacity : **550 t x 8.3 m**
Max. Crane Boom Length : **126.0 m (Long Boom)**
Max. Luffing Jib Combination : **84.0 m + 84.0 m**

Model : SL6000S



KOBELCO

CONFIGURATION








STD Heavy Duty Crane Boom

STD Luffing Boom


STD Long Boom

STD Heavy Fixed Jib (Type A)






STD Luffing Jib

STD	Heavy Duty Crane Boom	Luffing Boom	Long Boom	Heavy Fixed Jib (Type A)	Luffing Jib
					
Max. Lifting Capacity:	450 t x 6.7 m	300 t x 10.0 m	98 t x 18.0 m	105 t x 20.0 m	195.1 t x 14.0 m
Max. Boom Length:	84 m	84 m	108 m	–	–
Max. Combination:	–	–	–	78 m + 18 m	60 m + 72 m


The following abbreviations are used throughout this catalog:
 STD: Standard HL: Heavy Lift SHL: Super Heavy Lift



HL Heavy Duty Crane Boom HL Luffing Boom HL Long Boom HL Fixed Jib (Type B1) HL Luffing Jib

HL	Heavy Duty Crane Boom	Luffing Boom	Long Boom	Fixed Jib (Type B1)	Luffing Jib
					
Max. Lifting Capacity:	370 t x 8.3 m	300 t x 9.3 m	98 t x 20.0 m	120 t x 20.0 m	200 t x 14.4 m
Max. Boom Length:	84 m	84 m	108 m	-	-
Max. Combination:	-	-	-	78 m + 18 m	66 m + 72 m

CONFIGURATION










SHL Heavy Duty Crane Boom

SHL Luffing Boom

SHL Long Boom





SHL Heavy Fixed Jib (Type B2)

SHL	Heavy Duty Crane Boom	Luffing Boom	Long Boom	Heavy Fixed Jib (Type B2)
 				
Max. Lifting Capacity:	550 t x 8.3 m	300 t x 20.0 m	98 t x 30.0 m	120 t x 20.0 m
Max. Boom Length:	84 m	84 m	126 m	–
Max. Combination:	–	–	–	78 m + 18 m



SHL Heavy Fixed Jib (Type C)

SHL Luffing Jib

SHL	Heavy Fixed Jib (Type C)	Luffing Jib
 		
Max. Lifting Capacity:	105 t x 30.0 m	200 t x 14.4 m
Max. Boom Length:	–	–
Max. Combination:	102 m + 18 m	84 m + 84 m

CONTENTS

Configuration 1
 Specifications 5
 General Dimensions 7

STANDARD

Boom and Jib Arrangements 9
 Working Ranges 12
 Crane Boom Supplemental Data 19
 Heavy Fixed Jib Supplemental Data 21
 Luffing Jib Supplemental Data 23
 Heavy Duty Crane Boom Lifting Capacities 27
 Heavy Fixed Jib Lifting Capacities 27
 Long Boom Lifting Capacities 27
 Luffing Boom Lifting Capacities 28
 Luffing Jib Lifting Capacities 29

HEAVY LIFT

Boom and Jib Arrangements 33
 Working Ranges 36
 Heavy Duty Crane Boom Lifting Capacities 43
 Long Boom Lifting Capacities 44
 Heavy Fixed Jib Lifting Capacities 44
 Luffing Boom Lifting Capacities 45
 Luffing Jib Lifting Capacities 46

SUPER HEAVY LIFT

Boom and Jib Arrangements 49
 Working Ranges 53
 Heavy Duty Crane Boom Lifting Capacities 61
 Long Boom Lifting Capacities 62
 Heavy Fixed Jib Lifting Capacities 63
 Luffing Boom Lifting Capacities 64
 Luffing Jib Lifting Capacities 65

Transportation Plan 75

Parts and Attachments 77