


Hydraulic Crawler Crane

SL6000G

Model : SL6000G

Max. Lifting Capacity : **600 US ton x 27.2 ft**
Max. Crane Boom Length: **413 ft (Long Boom)**
Max. Luffing Jib Combination: **276 ft + 276 ft**



KOBELCO

CONFIGURATION



STD Heavy Duty Crane Boom

STD Luffing Boom

STD Long Boom

STD Heavy Fixed Jib (Type A)

STD Luffing Jib

STD	Heavy Duty Crane Boom	Luffing Boom	Long Boom	Heavy Fixed Jib (Type A)	Luffing Jib
					
Max. Lifting Capacity:	992,000 lbs x 21.9 ft	661,300 lbs x 32 ft	216,000 lbs x 55 ft	231,500 lbs x 65 ft	395,200 lbs x 50 ft
Max. Boom Length:	276 ft	276 ft	354 ft	—	—
Max. Combination:	—	—	—	256 ft + 59 ft	197 ft + 236 ft

HYDRAULIC CRAWLER CRANE SL6000G

The following abbreviations are used throughout this catalog:
STD: Standard HL: Heavy Lift SHL: Super Heavy Lift



HL Heavy Duty Crane Boom

HL Luffing Boom


HL Long Boom

HL Fixed Jib (Type B1)

HL Luffing Jib

HL 	Heavy Duty Crane Boom 	Luffing Boom 	Long Boom 	Fixed Jib (Type B1) 	Luffing Jib 
Max. Lifting Capacity:	815,600 lbs x 27.2 ft	661,300 lbs x 28 ft	216,000 lbs x 65 ft	264,600 lbs x 65 ft	440,900 lbs x 47.2 ft
Max. Boom Length:	276 ft	276 ft	354 ft	—	—
Max. Combination:	—	—	—	256 ft + 59 ft	217 ft + 236 ft

CONFIGURATION



SHL Heavy Duty Crane Boom

SHL Luffing Boom

SHL Long Boom

SHL	Heavy Duty Crane Boom	Luffing Boom	Long Boom
			
Max. Lifting Capacity:	1,212,500 lbs x 27.2 ft	661,300 lbs x 65 ft	216,000 lbs x 95 ft
Max. Boom Length:	276 ft	276 ft	413 ft
Max. Combination:	—	—	—